I. MATERIALS AND FINISHES: BODY - BERYLLIUM COPPER, GOLD PLATING (.000050/.000070) THICK OVER ELECTROLESS NICKEL (.000050/.000070) THICK OVER (.000020/.000050) COPPER

2. ELECTRICAL:

A. IMPEDANCE: 50 OHM

B. FREQUENCY RANGE: DC - 18 GHz C. VSWR(RETURN LOSS): 1.003 + .002f (GHz) MAX. D. DIELECTRIC WITHSTANDING VOLTAGE: 2500 VRMS, MIN.


COUPLING NUT - STAINLESS STEEL, PASSIVATED


3. MECHANICAL:


A. TEMPERATURE RANGE: -65° C TO 85° C

4. PACKAGING:

A. QUANTITY: SINGLE PACK
B. MARKING: BAG TO BE MARKED







## **CUSTOMER OUTLINE DRAWING**

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:  0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES  ±0.1mm ±0.2mm ± 0.3mm ±1°	MATERIAL	DRAWN BALAJI M	DATE 19-AUG-08	TITLE	A P C - 7	Amphenol RF
not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other sperson to manufacture, use or sell any product, process or design, patented or otherwsie, that may in any way be related to		ENGINEER BALAJI M	DATE 19-AUG-08	PRECISION CONNECTOR		Danbury CT USA, Tainan, Taiwan, Shenzhen, China www.amphenolrf.com
	REFERENCE EAR # AND	APPROVED	DATE	SCALE: 4.5:1.0 SHEET 2 OF 2		DRAWING NO.131-91050
	CONFIGURATION LEVEL:	K. CAPOZZI	1/23/09	SCALE: 4.5:1.0	SHEET 2 OF 2	ITEM_NO.131-91050
		CAD FILE		DWG SIZE   CODE ID   REV		
or disclosed by said drawings, specifications, or other data.	FINISH	Root Folder/APC-7/131-	91050	В	74868 J	PART NO.131-91050